


# Core relief items **packaging instructions**


---



# Blanket, High Thermal, Recycled

## PRIMARY PACKAGING

Reducing plastic waste in the environment: Individual blankets should have no packaging. **(ZERO PLASTIC)**.



## SECONDARY PACKAGING

An optimal number of products should be packed in export-quality secondary packaging. Currently, bales are in use to make sure items are protected. Sustainable materials (i.e. recycled polypropylene) with their natural colours are preferred. Long-lasting plastics such as tarpaulin that have a second-life purpose in the field could also be considered. Innovative solutions are welcome.

- Quantity per secondary packaging: 15 pcs with a compression rate of 60% is optimal, but innovative alternative approaches will be considered if they satisfy the quality and usability requirements of the products.
- Compressed and strapped with 5 straps (2 lengthwise, 3 crosswise).
- Straps made of recycled material are welcome.
- Current bale dimensions: Length 85cm +/-5cm, Width 55cm +/-5cm, Height 75 cm +/-5 cm (height of the bales to be compressed by maximum 60% from free state to final compressed and strapped state).
- Preference will be given to innovative packaging that does not harm the product, ideally with a second-life purpose, and minimizes packaging waste.
- Ensure that user-friendliness and safety aspects of handling persons are considered in the packaging design.

## TERTIARY PACKAGING

The bales might be packed on a pallet; in this case, they need to be wrapped in a water-tight material, preferably made of, or containing sustainable material (recycled plastic or re-usable material, i.e. tarpaulins), or other alternatives.


Packaging needs to ensure that products are protected from any damage including water and moisture. Innovative sustainable solutions are welcome.

**Avoid compostable plastics for packaging and increase recycled content wherever possible.**

# Blanket, Medium Thermal, Recycled

## PRIMARY PACKAGING

Reducing plastic waste in the environment: Individual blankets should have no packaging. **(ZERO PLASTIC)**.



## SECONDARY PACKAGING

An optimal number of products should be packed in export-quality secondary packaging. Currently, bales are in use to make sure items are protected. Sustainable materials (i.e. recycled polypropylene) with their natural colours are preferred. Long-lasting plastics such as tarpaulin that have a second-life purpose in the field could also be considered. Innovative solutions are welcome.

- Quantity per secondary packaging: 20 pcs with a compression rate of 60% is optimal, but innovative alternative approaches will be considered if they satisfy the quality and usability requirements of the products.
- Compressed and strapped with 5 straps (2 lengthwise, 3 crosswise).
- Straps made of recycled material are welcome.
- Current bale dimensions: Length 85cm +/-5cm, Width 55cm +/-5cm, Height 75 cm +/-5 cm (height of the bales to be compressed by maximum 60% from free state to final compressed and strapped state).
- Preference will be given to innovative packaging that does not harm the product, ideally with a second-life purpose, and minimizes packaging waste.
- Ensure that user-friendliness and safety aspects of handling persons are considered in the packaging design.

## TERTIARY PACKAGING

The bales might be packed on a pallet; in this case, they need to be wrapped in a water-tight material, preferably made of, or containing sustainable material (recycled plastic or re-usable material, i.e. tarpaulins), or other alternatives.


Packaging needs to ensure that products are protected from any damage including water and moisture. Innovative sustainable solutions are welcome.

**Avoid compostable plastics for packaging and increase recycled content wherever possible.**

## Heavy Duty Bucket with Cap, Lid, and Tap, Recycled

### PRIMARY PACKAGING

Reducing plastic waste in the environment: Individual buckets should have no packaging (**ZERO PLASTIC**).



### SECONDARY PACKAGING

An optimal number of products should be packed in export-quality secondary packaging, preferably using sustainable material and its natural colour - plastic packaging is forbidden. In case cardboard is used, it must be unbleached and unlaminated. Inks must be non-toxic and ecologically friendly. Innovative solutions are welcome.

- Filled secondary packaging must resist without any damage to a weight or a pressure of 230 kg applied on a strong, rigid board on top of the box (equivalent weight to 6m high stacking).
- Quantity per secondary packaging: currently 20 pcs; the alternative optimal amount will be considered.
- The packing must guarantee that the buckets will not get stuck together.
- Preference will be given to innovative packaging that does not harm the product, ideally with a second-life purpose, and minimizes packaging waste.
- Ensure that user-friendliness and safety aspects of handling persons are considered in the packaging design.

### TERTIARY PACKAGING

Secondary packaging might be packed on a pallet; in this case, they need to be wrapped in a water-tight material, preferably made of or containing sustainable material (recycled plastic or reusable material, i.e. tarpaulins), or other alternatives.


Packaging needs to ensure that products are protected from any damage including water and moisture. Innovative sustainable solutions are welcomed.

**Avoid compostable plastics for packaging and increase recycled content wherever possible.**

## Heavy Duty Bucket with Lid, Recycled

### PRIMARY PACKAGING

Reducing plastic waste in the environment: Individual buckets should have no packaging (**ZERO PLASTIC**).



### SECONDARY PACKAGING

An optimal number of products should be packed in export-quality secondary packaging, preferably using sustainable material and its natural colour - plastic packaging is forbidden. In case cardboard is used, it must be unbleached and unlaminated. Inks must be non-toxic and ecologically friendly. Innovative solutions are welcome.

- Filled secondary packaging must resist without any damage to a weight or a pressure of 230 kg applied on a strong, rigid board on top of the box (equivalent weight to 6m high stacking).
- Quantity per secondary packaging: currently 20 pcs; the alternative optimal amount will be considered.
- The packing must guarantee that the buckets will not get stuck together.
- Preference will be given to innovative packaging that does not harm the product, ideally with a second-life purpose, and minimizes packaging waste.
- Ensure that user-friendliness and safety aspects of handling persons are considered in the packaging design.

### TERTIARY PACKAGING

Secondary packaging might be packed on a pallet; in this case, they need to be wrapped in a water-tight material, preferably made of or containing sustainable material (recycled plastic or reusable material, i.e. tarpaulins), or other alternatives.


Packaging needs to ensure that products are protected from any damage including water and moisture. Innovative sustainable solutions are welcomed.

**Avoid compostable plastics for packaging and increase recycled content wherever possible.**

## Jerrycan, Semi-Collapsible, Recycled

### PRIMARY PACKAGING

Reducing plastic waste in the environment: Individual jerrycans should have no packaging (**ZERO PLASTIC**).



### SECONDARY PACKAGING

An optimal number of products should be packed in export-quality secondary packaging, preferably using sustainable material and its natural colour - plastic packaging is forbidden. In case cardboard is used, it must be unbleached and unlaminated. Ink must be non-toxic and ecologically friendly. Innovative solutions are welcome.


- Filled secondary packaging must resist without any damage to a weight or a pressure of 230 kg applied on a strong, rigid board on top of the box (equivalent weight to 6m high stacking).
- Quantity per secondary packaging: currently 50 pcs; the alternative optimal amount will be considered.
- Preference will be given to innovative packaging that does not harm the product, ideally with a second-life purpose, and minimizes packaging waste.
- The user-friendliness and safety aspects of handling persons should be considered in the packaging design.

### TERTIARY PACKAGING

Secondary packaging might be packed on a pallet; in this case, they need to be wrapped in a water-tight material, preferably made of or containing sustainable material (recycled plastic or reusable material, i.e. tarpaulins), or other alternatives.

Packaging needs to ensure that products are protected from any damage including water and moisture. Innovative sustainable solutions are welcomed.

**Avoid compostable plastics for packaging and increase recycled content wherever possible.**



**UNHCR**  
Supply Management Service  
Sustainable Supply  
Kamilla Peter  
[peterk@unhcr.org](mailto:peterk@unhcr.org)

June 2023